Concurrent Object Oriented Languages CSE 6490A

wiki.cse.yorku.ca/course/6490A

ヘロト ヘアト ヘリト

프 > 프

wiki.cse.yorku.ca/course/6490A CSE 6490A

- Name: Franck van Breugel
- Email: franck@cse.yorku.ca
- Office: Computer Science and Engineering Building, room 3046
- Office hours: Mondays and Wednesday, 16:00–17:00 or by appointment

Overview

- concurrent algorithms
- concurrent programming in Java
- verification of concurrent Java code
- searching the literature guest lecture by librarian John Dupuis
- writing guest lecture by Susan Visser (Publishing Program Manager, IBM)
- presenting

- 3 assignments (20% each)
- 3 presentations (5% each)
- paper (15%)
- participation (10%)

イロト イロト イヨト イ

- Find a nontrivial concurrent algorithm in the literature.
- Implement your algorithm in Java.
- Check some properties of your Java implementation using the model checker Java PathFinder.

For each assignment, you are expected to write a report.

Present your assignments.

 $\langle \Box \rangle \langle \Box \rangle$

문 🕨 🛛 문

- Combine your assignments into a paper
- of 15 pages
- using LATEX
- in Springer's Lecture Notes in Computer Science format.

For example,

- contributions to the wiki
- contributions to the forum
- discussion in class
- questions after presentations
- be on time
- ...

イロト イポト イヨト イヨト

э

In which systems/applications do you find concurrency today?

- operating systems
- data bases
- graphical user interfaces
- Internet applications

In which systems/applications will you find concurrency in the near future?

• Everywhere?

 $\langle \Box \rangle \langle \Box \rangle$

"Concurrency has long been touted as the "next big thing" and "the way of the future," but for the past 30 years, mainstream software development has been able to ignore it. Our parallel future has finally arrived: new machines will be parallel machines, and this will require major changes in the way we develop software."

Herb Sutter and James Larus. Software and the Concurrency Revolution. *Queue*, 3(7):54-62, September 2005.

Moore's Law

"The complexity for minimum component costs has increased at a rate of roughly a factor of two per year. Certainly over the short term this rate can be expected to continue, if not to increase. Over the longer term, the rate of increase is a bit more uncertain, although there is no reason to believe it will not remain nearly constant for at least 10 years."

Gordon E. Moore. Cramming more components onto integrated circuits. *Electronics*, 38(8), April 1965.



source: www.rentoid.com

Carver Mead dubbed this Moore's Law.

wiki.cse.yorku.ca/course/6490A

CSE 6490A



Fig. 2 Number of components per Integrated function for minimum cost per component extrapolated vs time.

source: www.intel.com

・ロト ・ 同ト ・ ヨト ・ ヨト

ъ

wiki.cse.yorku.ca/course/6490A CSE 6490A

"So the original one was doubling every year in complexity now in 1975, I had to go back and revisit this... So then I changed it to looking forward, we'd only be doubling every couple of years..."

Excerpts from a conversation with Gordon Moore (source: www.intel.com)



This complexity (which doubled every two years) is strongly correlated with

- processor speed
- memory capacity

"The combination of limited instruction parallelism suitable for superscalar issue, practical limits to pipelining, and a "power ceiling" limited by practical cooling limitations has limited future speed increases within conventional processor cores to the basic Moore's law improvement rate of the underlying transistors."

Kunle Olukotun and Lance Hammond. The Future of Microprocessors. *Queue*, 3(7):26–29, September 2005.

"Chip multicore processors implement two or more conventional superscalar processors together on a single die."

Kunle Olukotun and Lance Hammond. The Future of Microprocessors. *Queue*, 3(7):26–29, September 2005.

"While Moore's Law continues to hold, due to both intractable physical limitations and practical engineering considerations, that increasing density is no longer being spent on boosting clock rate, but rather on putting multiple CPU cores on a single CPU die. ... most code can (and should) achieve concurrency without explicit parallelism ..."

Bryan Cantrill and Jeff Bonwick. Real-world concurrency. *Communications of the ACM*, 51(11):34-39, November 2008.

- dual-core processor (AMD Phenom II X2 and Intel Core 2 Duo)
- quad-core processor (AMD Phenom II X4 and Intel Core 2 Quad)
- 8-core processor (Intel Xeon 7560 and Sun UltraSPARC T2)
- 12-core processor (AMD 6100)
- 48-core processor (Intel)

- NVIDIA Quadro 6000 (448 cores)
- AMD FireStream 9270 (800 cores)

포 > 프

Amdahl's Law

"... the effort expended on achieving high parallel processing rates is wasted unless it is accompanied by achievements in sequential processing rates of very nearly the same magnitude."

Gene M. Amdahl. Validity of the single processor approach to achieving large scale computing capabilities. In *Proceedings of the AFIPS Joint Computer Conferences*, pages 483–485, Atlantic City, NJ, USA, April 1967. ACM.



source: Perry Kivolowitz

CSE 6490A

"But concurrency is hard. Not only are today's languages and tools inadequate to transform applications into parallel programs, but also it is difficult to find parallelism in mainstream applications, and—worst of all—concurrency requires programmers to think in a way humans find difficult."

Herb Sutter and James Larus. Software and the Concurrency Revolution. *Queue*, 3(7):54-62, September 2005.

"Multicore architectures will (finally) bring parallel computing into the mainstream. To effectively exploit them, legions of programmers must emphasize concurrency."

"Nontrivial software written with threads, semaphores, and mutexes are incomprehensible to humans and cannot and should not be trusted!"

Edward A. Lee. Making Concurrency Mainstream. Presentation at the *17th International Conference on Concurrency Theory*, Bonn, Germany, August 27, 2006.