

## No.6

# Process Synchronization(2)

Prof. Hui Jiang  
Dept of Computer Science and Engineering  
York University

---

---

---

---

---

---

---

---

## Semaphores

- Problems with the software solutions.
  - Complicated programming, not flexible to use.
  - Not easy to generalize to more complex synchronization problems.
- Semaphore (a.k.a. lock): an easy-to-use synchronization tool
  - An integer variable  $S$
  - `wait(S)` {  
  while ( $S <= 0$ );  
   $S--$ ;  
}
  - `signal(S)` {  
   $S++$ ;  
}

---

---

---

---

---

---

---

---

## Semaphore usage (1): the n-process critical-section problem

- The  $n$  processes share a semaphore,  
Semaphore `mutex`; // `mutex` is initialized to 1.

```
Process Pi do {  
    wait(mutex);  
    critical section of Pi  
    signal(mutex);  
    remainder section of Pi  
} while (1);
```

---

---

---

---

---


---

---

---

## Semaphore usage (2): as a General Synchronization Tool

- Execute *B* in  $P_j$  only after *A* executed in  $P_i$
- Use semaphore *flag* initialized to 0




---

---

---

---

---

---

---

---

---

---

## Spinlock vs. Sleeping Lock

- Previous definition of semaphore requires busy waiting.
  - It is called *spinlock*.
  - *spinlock* does not need context switch, but waste CPU cycles in a continuous loop.
  - *spinlock* is OK only for lock waiting is very short.
- Semaphore without busy-waiting, called *sleeping lock*:
  - In defining *wait()*, rather than busy-waiting, the process makes system calls to block itself and switch back to waiting state, and put the process to a waiting queue associated with the semaphore. The control is transferred to CPU scheduler.
  - In defining *signal()*, the process makes system calls to pick a process in the waiting queue of the semaphore, wake it up by moving it to the ready queue to wait for CPU scheduling.
  - Sleeping Lock is good only for long waiting.

---

---

---

---

---

---

---

---

---

---

## Spinlock Implementation(1)

- In uni-processor machine, disabling interrupt before modifying semaphore.

```

wait(S) {
do {
    if(S>0) {
        S--;
        return ;
    }
} while(1) ;
}
                
```

```

signal(S) {
    S++;
    return ;
}
                
```

---

---

---

---

---

---

---

---

---

---

## Spinlock Implementation(1)

- In uni-processor machine, disabling interrupt before modifying semaphore.

```
wait(S) {
do {
  Disable_Interrupt;
  if(S>0) {
    S--;
    Enable_Interrupt ;
    return ;
  }
  Enable_Interrupt ;
} while(1);
}
```

```
signal(S) {
  Disable_Interrupt ;
  S++;
  Enable_Interrupt ;
  return ;
}
```

---

---

---

---

---

---

---

---

## Spinlock Implementation(2)

- In multi-processor machine, inhibiting interrupt of all processors is not easy and efficient.
- Use software solution to critical-section problems
  - e.g., bakery algorithm.
  - Treat `wait()` and `signal()` as critical sections.
- Or use hardware support if available:
  - `TestAndSet()` or `Swap()`
- Example: implement spinlock among two processes.
  - Use Peterson's algorithm for protection.
  - Shared data:

Semaphore `S`; Initially `S=1`

`boolean flag[2];` initially `flag [0] = flag [1] = false.`  
`int turn;` initially `turn = 0` or `1.`

---

---

---

---

---

---

---

---

## Spinlock Implementation(3)

```
wait(S) {
  int i=process_ID(); //0→P0, 1→P1
  int j=(i+1)%2;
do {
  flag [ i ]:= true; //request to enter
  turn = j;
  while (flag [ j ] and turn = j) ;
  if (S > 0) { //critical section
    S--;
    flag [ i ] = false;
    return ;
  } else {
    flag [ i ] = false;
  }
} while (1);
}
```

```
signal(S) {
  int i=process_ID(); //0→P0, 1→P1
  int j=(i+1)%2;

  flag [ i ]:= true; //request to enter
  turn = j;
  while (flag [ j ] and turn = j) ;

  S++; //critical section

  flag [ i ] = false;

  return ;
}
```

---

---

---

---

---

---

---

---

## Spinlock Implementation(2)

- In multi-processor machine, inhibiting interrupt of all processors is not easy and efficient.
- Use software solution to critical-section problems
  - e.g., bakery algorithm.
  - Treat *wait()* and *signal()* as critical sections.
- Or use hardware support if available:
  - *TestAndSet()* or *Swap()*
- Example: implement spinlock between N processes.
  - Use Bakery algorithm for protection.
  - Shared data:

Semaphore S ; Initially S=1

```
boolean choosing[N]; (Initially false)
int number[N]; (Initially 0)
```

---

---

---

---

---

---

---

---

---

---

## Spinlock Implementation(3)

```
wait(S) {
    int i=process_ID();

    choosing[i] = true;
    number[i] = max(number[0], number[1],
    ..., number [N - 1])+1;
    choosing[i] = false;
    for (j = 0; j < N; j++) {
        while (choosing[j]);
        while ((number[j] != 0) &&
            (number[j] < number[i]));
    }
    if (S > 0) { //critical section
        S--;
        number[i] = 0;
        return ;
    }
    number[i] = 0;
} while (1);
}
```

```
signal(S) {
    int i=process_ID();

    choosing[i] = true;
    number[i] = max(number[0], number[1],
    ..., number [N - 1])+1;
    choosing[i] = false;
    for (j = 0; j < N; j++) {
        while (choosing[j]);
        while ((number[j] != 0) &&
            (number[j] < number[i]));
    }
    S++; //critical section
    number[i] = 0;
    return ;
}
```

---

---

---

---

---

---

---

---

---

---

## Sleeping Lock (I)

- Define a sleeping lock as a structure:

```
typedef struct {
    int value; // Initialized to 1
    struct process *L;
} semaphore;
```
- Assume two system calls:
  - *block()* suspends the process that invokes it.
  - *wakeup(P)* resumes the execution of a blocked process P.
- Equally applicable to multiple threads in one process.

---

---

---

---

---

---

---

---

---

---

## Sleeping Lock (II)

- Semaphore operations now defined as:

```
wait(S):
    S.value--;
    if (S.value < 0) {
        add this process to S.L;
        block();
    }

signal(S):
    S.value++;
    if (S.value <= 0) {
        remove a process P from S.L;
        wakeup(P);
    }
```

---

---

---

---

---

---

---

---

## Two Types of Semaphores: Binary vs. Counting

- **Binary** semaphore (a.k.a. mutex lock) – integer value can range only between 0 and 1; simpler to implement by hardware.
- **Counting** semaphore – integer value can range over an unrestricted domain.
- We can implement a counting semaphore *S* by using two binary semaphores.
- Binary semaphore is normally used as mutex lock.
- Counting semaphore can be used as shared counter, load controller, etc...

---

---

---

---

---

---

---

---

## Classical Synchronization Problems

- The Bounded-Buffer P-C Problem
- The Readers-Writers Problem
- The Dining-Philosophers Problem

---

---

---

---

---

---

---

---

## Bounded-Buffer P-C Problem

- A producer produces some data for a consumer to consume. They share a bounded-buffer for data transferring.
- Shared memory:
  - A buffer to hold at most  $n$  items
- Shared data (three semaphores)

Semaphore *filled*, *empty*; /\*counting\*/  
Semaphore *mutex*; /\* binary \*/

Initially:

*filled* = 0, *empty* =  $n$ , *mutex* = 1

---

---

---

---

---

---

---

---

## Bounded-Buffer Problem: Producer Process

```
do {  
    ...  
    produce an item in nextp  
    ...  
    wait(empty);  
    wait(mutex);  
    ...  
    add nextp to buffer  
    ...  
    signal(mutex);  
    signal(filled);  
} while (1);
```

---

---

---

---

---

---

---

---

## Bounded-Buffer Problem: Consumer Process

```
do {  
    wait(filled)  
    wait(mutex);  
    ...  
    remove an item from buffer to nextc  
    ...  
    signal(mutex);  
    signal(empty);  
    ...  
    consume the item in nextc  
    ...  
} while (1);
```

---

---

---

---

---

---

---

---

## The Readers-Writers Problem

- Many processes concurrently access a data object
  - Readers: only read the data.
  - Writers: update and may write the data object.
- Only writer needs exclusive access of the data.
- The first readers-writers problem:
  - Unless a writer has already obtained permission to use the shared data, readers are always allowed to access data.
  - May starve a writer.
- The second readers-writer problem:
  - Once a writer is ready, the writer performs its write as soon as possible.
  - May starve a reader.

---

---

---

---

---

---

---

---

## The 1<sup>st</sup> Readers-Writers Problem

- Use semaphore to implement 1<sup>st</sup> readers-writer problem
- Shared data:

```
int readcount = 0; // keep track the number of readers
                    // accessing the data object
```
- Semaphore `mutex = 1`; // mutually exclusive access to  
// `readcount` among readers
- Semaphore `wrt = 1`; // mutual exclusion to the data object  
// used by every writer  
// also set by the 1<sup>st</sup> reader to read the data  
// and clear by the last reader to finish reading

---

---

---

---

---

---

---

---

## The 1<sup>st</sup> Readers-Writers Problem

### Writer Process

```
...
wait(wrt);
...
writing is performed
...
signal(wrt);
...
```

### Reader Process

```
...
wait(mutex);
readcount++;
if (readcount == 1) wait(wrt);
signal(mutex);
...
reading is performed
...
wait(mutex);
readcount--;
if (readcount == 0) signal(wrt);
signal(mutex);
...
```

---

---

---

---

---


---

---

---

## The Dining-Philosophers Problem

- Five philosophers are thinking or eating
- Using only five chopsticks
- When thinking, no need for chopsticks.
- When eating, need two closest chopsticks.
- Can pick up only one chopstick
- Can not get the one already in the hand of a neighbor.




---

---

---

---

---

---

---

---

## The Dining-Philosophers Problem: Semaphore Solution

- Represent each chopstick with a semaphore  
Semaphore `chopstick[5]; // Initialized to 1`

Philosopher *i*  
(*i*=0,1,2,3,4)

```
do {
    wait(chopstick[i]);
    wait(chopstick[(i+1) % 5]);
    ...
    eat
    ...
    signal(chopstick[i]);
    signal(chopstick[(i+1) % 5]);
    ...
    think
    ...
} while (1);
```

---

---

---

---

---

---

---

---

## Incorrect Semaphore Usage

Mistake 1:

```
...
signal(mutex);
...
Critical
Section
...
wait(mutex);
```

Mistake 2:

```
...
wait(mutex);
...
Critical
Section
...
wait(mutex);
```

Mistake 3:

```
...
wait(mutex);
...
Critical
Section
...

```

Mistake 4:

```
...
Critical
Section
...
signal(mutex);
```

---

---

---

---

---

---

---

---



## Starvation and Deadlock

- *Starvation* – infinite blocking. A process may never be removed from the semaphore queue in which it is suspended.
- *Deadlock* – two or more processes are waiting infinitely for an event that can be caused by only one of the waiting processes.
- Let S and Q be two semaphores initialized to 1

|            |            |
|------------|------------|
| $P_0$      | $P_1$      |
| wait(S);   | wait(Q);   |
| wait(Q);   | wait(S);   |
| ⋮          | ⋮          |
| signal(S); | signal(Q); |
| signal(Q)  | signal(S); |

---

---

---

---

---

---

---

---

## double\_rq\_lock() in Linux Kernel

```
double_rq_lock(struct runqueue *rq1,  
               struct runqueue *rq2)  
{  
    if (rq1 == rq2)  
        spinlock(&rq1->lock);  
    else {  
        if (rq1 < rq2) {  
            spin_lock(&rq1->lock);  
            spin_lock(&rq2->lock);  
        } else {  
            spin_lock(&rq2->lock);  
            spin_lock(&rq1->lock);  
        }  
    }  
}
```

---

---

---

---

---

---

---

---

## Why not?

```
double_rq_lock(struct runqueue *rq1,  
               struct runqueue *rq2)  
{  
    spin_lock(&rq1->lock);  
    spin_lock(&rq2->lock);  
}  
  
struct runqueue *RdQ, *DevQ1, *DevQ2, ...
```

|   |   |
|---|---|
| P1  | P2  |
| ...<br>double_rq_lock(RdQ, DevQ1);<br>... | ...<br>double_rq_lock(DevQ1, RdQ);<br>... |

---

---

---

---

---

---

---

---

## double\_rq\_unlock() in Linux Kernel

```
double_rq_unlock(struct runqueue *rq1,  
                 struct runqueue *rq2)  
{  
    spin_unlock(&rq1->lock);  
    if (rq1 != rq2)  
        spin_unlock(&rq2->lock);  
}
```

---

---

---

---

---

---

---

---

## Pthread Semaphore

· Pthread semaphores for multi-threaded programming in Unix/Linux:

- Pthread Mutex Lock  
(binary semaphore)
- Pthread Semaphore  
(general counting semaphore)

---

---

---

---

---

---

---

---

## Pthread Mutex Lock

```
#include <pthread.h>  
/*declare a mutex variable*/  
pthread_mutex_t mutex ;  
  
/* create a mutex lock */  
pthread_mutex_init (&mutex, NULL) ;  
  
/* acquire the mutex lock */  
pthread_mutex_lock(&mutex) ;  
  
/* release the mutex lock */  
pthread_mutex_unlock(&mutex) ;
```

---

---

---

---

---

---

---

---

## Using Pthread Mutex Locks

- Use mutex locks to solve critical section problems:

```
#include <pthread.h>
pthread_mutex_t mutex ;
...
pthread_mutex_init(&mutex, NULL) ;
...
pthread_mutex_lock(&mutex) ;

/** critical section */

pthread_mutex_unlock(&mutex) ;
```

---

---

---

---

---

---

---

---

## Pthread Semaphores

```
#include <semaphore.h>
/*declare a pthread semaphore*/
sem_t sem ;

/* create and initialize a semaphore */
sem_init (&sem, flag, initial_value) ;

/* wait() operation */
sem_wait(&sem) ;

/* signal() operation */
sem_post(&sem) ;
```

---

---

---

---

---

---

---

---

## Using Pthread semaphore

- Using Pthread semaphores for counters shared by multiple threads:

```
#include <semaphore.h>
sem_t counter ;
...
sem_init(&counter, 0, 0) ; /* initially 0 */
...
sem_post(&counter) ; /* increment */
...
sem_wait(&counter) ; /* decrement */
```

---

---

---

---

---

---

---

---

## **volatile in multithread program**

- In multithread programming, a shared global variable must be declared as volatile to avoid compiler's optimization which may cause conflicts:

```
volatile int data ;  
  
volatile char buffer[100] ;
```

---

---

---

---

---

---

---

---

## **Process Synchronization for multiple processes in Unix**

- In Unix, a shared global variable must be created with the following systems calls:

```
#include <sys/shm.h>  
  
int shmget(key_t key, size_t size, int shmflg);  
  
void *shmat(int shmid, const void *shmaddr, int shmflg);  
  
int shmdt(const void *shmaddr);  
  
int shmctl(int shmid, int cmd, struct shmctl_ds *buf);
```

---

---

---

---

---

---

---

---

## **nanosleep()**

```
#include <time.h>  
  
int nanosleep(const struct timespec *req,  
              struct timespec *rem);  
  
struct timespec  
{  
    time_t tv_sec; /* seconds */  
    long tv_nsec; /* nanoseconds 0-999,999,999 */  
};
```

---

---

---

---

---

---

---

---