

www.cse.yorku.ca/course/4315/

www.cse.yorku.ca/course/4315/ EECS 4315

▲ロト ▲御 と ▲注 と ▲注 と 一注



JPF's documentation

this is a straight execution pseudo-search - it doesn't search at all (i.e. it doesn't backtrack), but just behaves like a 'normal' VM, going forward() until there is no next state then it restarts the search until it hits a certain number of paths executed

Note that there is nothing random about the search.

ヘロト ヘヨト ヘヨト

Question

Is a default value of zero is sensible choice?

Question

Is a default value of zero is sensible choice?

Answer

No.

Question

Is a default value of zero is sensible choice?

Answer

No.

Question

What would be a sensible default value?

Question

Is a default value of zero is sensible choice?

Answer

No.

Question

What would be a sensible default value?

Answer

Integer.MAX_VALUE

ヨトメヨト

Today's challenge

Develop RandomSearch along the lines DFSearch and BFSearch have been developed in the notes.

 $\equiv \rightarrow$

Due: Monday February 27 Worth: 2%

One page overview of your project.

- A paragraph giving a high level description of the goal(s) of your project.
- A list of milestones (label some optional being carried out if there is time).
- A list of deliverables (for example, a listener and a test suite for that listener).

< ∃ >